

Panasonic Compressor and Motor K-Series Rotary Compressor Specification Table

Series			K											
Model			K20	K21	K22	K23	K24	K25	K26	K28	K30	K32	K33	K34
Rated Output W			950.00	1,000.00	1,100.00	1,100.00	1,200.00	1,200.00	1,300.00	1,400.00	1,400.00	1,500.00	1,500.00	1,600.00
Displacement CC/rev			19.60	21.40	22.50	23.30	24.30	25.20	26.20	28.20	30.10	31.40	32.50	34.10
Cooling Capacity (Nominal)	60HZ	W	4,025.00	4,465.00	4,735.00	-	5,105.00	5,290.00	5,570.00	5,955.00	6,380.00	6,630.00	-	7,290.00
		(Kcal/h)	3,462.00	3,840.00	4,072.00	-	4,390.00	4,549.00	4,549.00	5,121.00	5,487.00	5,702.00	-	6,269.00
		(BTU)	13,735.00	15,237.00	16,158.00	-	17,421.00	18,052.00	18,052.00	20,321.00	21,772.00	22,625.00	-	24,877.00
	50HZ	W	(3,680.00)	3,585.00	3,825.00	3,990.00	4,130.00	4,245.00	-	4,665.00	5,030.00	4,665.00	5,430.00	5,700.00
		(Kcal/h)	(3,160.00)	3,083.00	3,290.00	3,431.00	3,552.00	3,651.00	-	4,012.00	4,326.00	4,012.00	4,670.00	4,902.00
		(BTU)	(12,500.00)	12,234.00	13,053.00	13,616.00	14,094.00	14,486.00	-	15,919.00	17,165.00	15,919.00	18,530.00	19,451.00
Weight Kg			16.10	16.00	16.00	16.50	16.00	16.00	17.10	17.20	17.20	17.20	18.20	17.20
Dimension (Nominal)	A	mm	253.00	248.00	248.00	268.00	258.00	248.00	271.00	271.00	271.00	271.00	300.00	271.00
	B	mm	113.50	114.00	114.00	113.50	113.50	114.00	113.50	113.50	113.50	113.50	114.00	113.50
	C	mm	276.00	276.00	276.00	271.00	310.00	306.00	310.00	310.00	314.00	310.00	330.00	310.00
	D	mm	12.90	15.90	15.90	12.90	15.90	15.90	15.90	15.90	15.90	15.90	12.90	15.90
	E	mm	9.65	9.65	9.65	9.65	9.65	9.65	9.65	9.65	9.65	9.65	9.65	9.65
	F	mm	75.00	75.00	75.00	75.00	75.00	75.00	75.00	75.00	75.00	75.00	75.00	75.00
	G	mm	38.40	38.40	38.40	38.40	38.40	38.40	38.40	41.90	41.90	41.90	61.90	41.90

UM: Under mass production

UD: Under development (N-TEC () = Converted figure: JIS to N-TEC)

Graphic View	Top View	Side View
		